



Samsung Galaxy A20e Back Cover Replacement

How to replace a damaged back cover on your Samsung Galaxy A20e.

Written By: Adriana Zwink



INTRODUCTION

Use this guide to replace a damaged back cover on your Samsung Galaxy A20e.



TOOLS:


- [SIM Card Eject Tool](#) (1)
 - [iFixit Opening Picks set of 6](#) (1)
-

Step 1 — Remove the SIM tray



- Before starting repairs, take your Galaxy A20e off the charger and power it down.
 - Insert a SIM card eject tool, a SIM eject bit or a straightened paper clip into the hole on the SIM tray located on the left side of the phone.
 - Press your SIM card eject tool firmly into the hole in order to eject the SIM card tray.
 - Remove the SIM card tray.
- i** When reinserting the cards, make sure to properly orient them in the tray.

Step 2 — Unclip the plastic clips



 The back cover is held in place by plastic clips.

- Insert an opening pick between the screen and the back cover on the left edge next to the hole for the SIM-eject tool.

Step 3



- Slide the opening pick around the bottom left corner to unclip the plastic clips.

Step 4



- Slide the opening pick along the bottom edge to unclip the plastic clips.

Step 5



- Slide the opening pick along the right edge to the top right corner to unclip the plastic clips.

Step 6 — Remove the back cover



- Separate the phone assembly from the back cover.

To reassemble your device, follow these instructions in reverse order.

Take your e-waste to an [R2 or e-Stewards certified recycler](#).

Repair didn't go as planned? Try some [basic troubleshooting](#), or ask our [Answers community](#) for help.