

Mac Pro Early 2009 Teardown

This guide is to take apart a Mac Pro Early 2009 8 Core and to show parts of the Mac Pro and the difficulties of rebuilding it.

Written By: zongo



INTRODUCTION

Mac Pro Early 2009 8 Core.



TOOLS:

- iFixit Opening Tools (1)
- Spudger (1)
- 64 Bit Driver Kit (1)

Step 1 — Mac Pro Early 2009 Teardown



I took the Mac Pro Apart.

Step 2



added the PSU



added the backplane board

Step 4



Front Panel Board




 Here you can see the LEDs of the Mac Pros, and the DIAG_LED bottom

Step 6



 The front panel board to backplane board cable



 another view of the front panel board


Step 8



Another view of the backplane board



 BackPlane Board and frontPanel Board linked by FrontPanel Board to BackPlane Board cable




 Bluetooth antenna connected to the card on the Backplane board. One needs to be careful because if not connected the Antenna needs to be attached in order not to short-circuit the backpanel board.

Step 11




A view of the PCI Slots on the Mac Pro Early 2009



 Optical Drive Cables on BackPlane Board.

Step 13



 A view of the power button that needs to be connected on the front panel board.




Processor Cage

Step 15



 Left Fan in processor cage with speaker.




 right fan in processor cage.
Remember, two clips to take the a fan apart. Top and Bottom.

Step 17




 Unit with, PSU, BackPlane Board, Front Panel Board.



 Small parts that cover the PSU and Super Drive cables.

Step 19



Processor heatsinks 8 Core



Processor Heatsink 4 core

Step 21



 We can really see the difference between the 8 core and 4 core.



 Processor Cage & Left and right Speakers.

Step 23




 A nice view of processor board 8 core.



• CPU B of the processor Board.

Step 25



CPU A of Processor Board.



Processor & HeatSink

Step 27



RAID Card for Mac Pro Early 2009



Graphic Card

Step 29



Fibre Channel Card



Finally the machine is rebuilt