



Samsung Admire Speaker Replacement

If your phone's speaker is broken, this guide will help you step by step on how to it replace it.

Written By: Thao Uyen Do



INTRODUCTION

This step-by-step guide illustrates how to remove and replace the speaker of Samsung Admire.



TOOLS:

- [iFixit Opening Tools](#) (1)
 - [Phillips #00 Screwdriver](#) (1)
-

Step 1 — Back Cover



- Use your fingernail or plastic opening tool to pull up the back cover of the phone from under the slit.

Step 2 — Remove the battery



- Carefully remove the battery by placing your fingernail underneath the hole and pulling out the battery.


⚠ Your hands should not be wet.

Step 3 — Remove the screws



- Use the Phillips #00 Precision Screwdriver to remove the six screws in the back of the phone.

Step 4 — Inside back cover



- Use the plastic opening tools to remove the inside back cover.
- Place the plastic opening tools on the outside rim of the inside back cover.
- Carefully lift the cover and circle around the rim to open the inside back cover completely.
- Carefully disconnect ribbon cables and slowly lift the inside back cover to remove it.

Step 5 — Speaker



- The speaker is located within the inside of the back cover.
- Simply remove it by lifting it off with the plastic opening tool.

To reassemble your device, follow these instructions in reverse order.